

IFWO

RAW SEQUENCE LISTING DATE: 08/04/2004 PATENT APPLICATION: US/10/702,228A TIME: 09:22:16

Input Set : A:\341030US1.txt

Output Set: N:\CRF4\08042004\J702228A.raw

```
4 <110> APPLICANT: Slater, Michael R.
              Wood, Keith V.
              Hartnett, James Robert
              Promega Corporation
      9 <120> TITLE OF INVENTION: Vectors for Directional Cloning
     12 <130> FILE REFERENCE: 341.030US1
     14 <140> CURRENT APPLICATION NUMBER: 10/702,228A
     15 <141> CURRENT FILING DATE: 2003-11-05
     17 <150> PRIOR APPLICATION NUMBER: 10/678,961
     18 <151> PRIOR FILING DATE: 2003-10-03
     20 <160> NUMBER OF SEQ ID NOS: 92
     22 <170> SOFTWARE: FastSEQ for Windows Version 4.0
     24 <210> SEO ID NO: 1
     25 <211> LENGTH: 18
     26 <212> TYPE: DNA
     27 <213> ORGANISM: Artificial Sequence
     29 <220> FEATURE:
     30 <223> OTHER INFORMATION: A synthetic DNA fragment
     32 <220> FEATURE:
     33 <221> NAME/KEY: misc feature
     34 <222> LOCATION: 18
     35 <223> OTHER INFORMATION: n = A, T, G, or C
     37 <400> SEQUENCE: 1
                                                                                 18
 --> 38 aaggagcgat cgccatgn
     40 <210> SEQ ID NO: 2
     41 <211> LENGTH: 10
     42 <212> TYPE: DNA
     43 <213> ORGANISM: Artificial Sequence
     45 <220> FEATURE:
     46 <223> OTHER INFORMATION: A synthetic DNA fragment, wherein nnn is the first codon
which is 3'
              to the start codon followed by the remainder of an open reading frame
     47
     49 <220> FEATURE:
     50 <221> NAME/KEY: misc feature
     51 <222> LOCATION: 8-10
     52 < 223 > OTHER INFORMATION: n = A, T, G, or C
     54 <400> SEQUENCE: 2
W--> 55 cgccatgnnn
                                                                      10
     65 <210> SEQ ID NO: 3
     66 <211> LENGTH: 12
     67 <212> TYPE: DNA
     68 <213> ORGANISM: Artificial Sequence
     71 <220> FEATURE:
```

72 <223> OTHER INFORMATION: A synthetic DNA fragment

RAW SEQUENCE LISTING
PATENT APPLICATION: US/10/702,228A

DATE: 08/04/2004
TIME: 09:22:16

Input Set : A:\341030US1.txt

Output Set: N:\CRF4\08042004\J702228A.raw

```
74 <220> FEATURE:
     75 <221> NAME/KEY: misc feature
     76 <222> LOCATION: 1-6
     77 <223> OTHER INFORMATION: n = A, T, G, or C
     79 <400> SEQUENCE: 3
                                                                               12
W--> 80 nnnnnngtct tc
     82 <210> SEQ ID NO: 4
     83 <211> LENGTH: 10
     84 <212> TYPE: DNA
     85 <213> ORGANISM: Artificial Sequence
     87 <220> FEATURE:
     88 <223> OTHER INFORMATION: A synthetic DNA fragment
     90 <220> FEATURE:
     91 <221> NAME/KEY: misc feature
     92 <222> LOCATION: 1-4
     93 <223> OTHER INFORMATION: n = A, T, G, or C
     95 <400> SEQUENCE: 4
                                                                               10
W--> 96 nnnngaagag
     98 <210> SEQ ID NO: 5
     99 <211> LENGTH: 13
     100 <212> TYPE: DNA
     101 <213> ORGANISM: Artificial Sequence
     103 <220> FEATURE:
     104 <223> OTHER INFORMATION: A synthetic DNA fragment
     106 <220> FEATURE:
     107 <221> NAME/KEY: misc feature
     108 <222> LOCATION: 6-13
     109 <223> OTHER INFORMATION: n = A, T, C, or G
     111 <400> SEQUENCE: 5
                                                                                 13
W--> 112 gcagcnnnnn nnn
     114 <210> SEQ ID NO: 6
     115 <211> LENGTH: 11
     116 <212> TYPE: DNA
     117 <213> ORGANISM: Artificial Sequence
     119 <220> FEATURE:
     120 <223> OTHER INFORMATION: A synthetic DNA fragment
     122 <220> FEATURE:
     123 <221> NAME/KEY: misc_feature
     124 <222> LOCATION: 1-5
     125 <223> OTHER INFORMATION: n = A, T, G or C
     127 <400> SEQUENCE: 6
                                                                                 11
W--> 128 nnnnngagac g
     131 <210> SEQ ID NO: 7
     132 <211> LENGTH: 11
     133 <212> TYPE: DNA
     134 <213> ORGANISM: Artificial Sequence
     136 <220> FEATURE:
     137 <223> OTHER INFORMATION: A synthetic DNA fragment
```

139 <220> FEATURE:

DATE: 08/04/2004

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/702,228A TIME: 09:22:16

Input Set : A:\341030US1.txt

Output Set: N:\CRF4\08042004\J702228A.raw

140 <221> NAME/KEY: misc feature 141 <222> LOCATION: 4-8 142 <223> OTHER INFORMATION: n = A, T, C, or G 144 <400> SEQUENCE: 7 W--> 145 gccnnnnngg c 11 147 <210> SEQ ID NO: 8 148 <211> LENGTH: 14 149 <212> TYPE: DNA 150 <213> ORGANISM: Artificial Sequence 152 <220> FEATURE: 153 <223> OTHER INFORMATION: A synthetic DNA fragment 155 <220> FEATURE: 156 <221> NAME/KEY: misc feature 157 <222> LOCATION: 6-14 158 <223> OTHER INFORMATION: n = A, T, G, or C 160 <400> SEQUENCE: 8 14 W--> 161 ggatgnnnnn nnnn 163 <210> SEQ ID NO: 9 164 <211> LENGTH: 11 165 <212> TYPE: DNA 166 <213> ORGANISM: Artificial Sequence 168 <220> FEATURE: 169 <223> OTHER INFORMATION: A synthetic DNA fragment 171 <220> FEATURE: 172 <221> NAME/KEY: misc feature 173 <222> LOCATION: 1-5 174 <223> OTHER INFORMATION: n = A, T, G or C 176 <400> SEQUENCE: 9 11 W--> 177 nnnnngagac c 179 <210> SEQ ID NO: 10 180 <211> LENGTH: 10 181 <212> TYPE: DNA 182 <213> ORGANISM: Artificial Sequence 184 <220> FEATURE: 185 <223> OTHER INFORMATION: A synthetic DNA fragment 189 <220> FEATURE: 190 <221> NAME/KEY: misc_feature 191 <222> LOCATION: 6-10 192 <223> OTHER INFORMATION: N = A, T, G, or C 195 <400> SEQUENCE: 10 10 W--> 196 gacgcnnnnn 198 <210> SEQ ID NO: 11 199 <211> LENGTH: 11 200 <212> TYPE: DNA 201 <213> ORGANISM: Artificial Sequence 203 <220> FEATURE: 204 <223> OTHER INFORMATION: A synthetic DNA fragment 206 <220> FEATURE:

207 <221> NAME/KEY: misc feature

DATE: 08/04/2004 RAW SEQUENCE LISTING PATENT APPLICATION: US/10/702,228A TIME: 09:22:16 Input Set : A:\341030US1.txt Output Set: N:\CRF4\08042004\J702228A.raw 208 <222> LOCATION: 3-9

209 <223 > OTHER INFORMATION: n = A, T, G, or C 211 <400> SEQUENCE: 11 11 W--> 212 ccnnnnnnng g 214 <210> SEQ ID NO: 12 215 <211> LENGTH: 11 216 <212> TYPE: DNA 217 <213> ORGANISM: Artificial Sequence 219 <220> FEATURE:

- 220 <223> OTHER INFORMATION: A synthetic DNA fragment
- 222 <220> FEATURE: 223 <221> NAME/KEY: misc feature
- 224 <222> LOCATION: 3-9
- 225 <223 > OTHER INFORMATION: n = A, T, G, or C
- 227 <400> SEQUENCE: 12

11 W--> 228 gcnnnnnnng c 230 <210> SEQ ID NO: 13

- 231 <211> LENGTH: 10 232 <212> TYPE: DNA
- 233 <213> ORGANISM: Artificial Sequence 235 <220> FEATURE:
- 236 <223> OTHER INFORMATION: A synthetic DNA fragment
- 238 <220> FEATURE:
- 239 <221> NAME/KEY: misc_feature 240 <222> LOCATION: 1-5
- 241 <223> OTHER INFORMATION: n = A, T, C, or G
- 243 <400> SEQUENCE: 13
- 10 W--> 244 nnnnngagac
 - 246 <210> SEQ ID NO: 14 247 <211> LENGTH: 11
 - 248 <212> TYPE: DNA
 - 249 <213> ORGANISM: Artificial Sequence
 - 251 <220> FEATURE: 252 <223> OTHER INFORMATION: A synthetic DNA fragment

 - 254 <220> FEATURE:
 - 255 <221> NAME/KEY: misc_feature 256 <222> LOCATION: 4-8

 - 257 <223> OTHER INFORMATION: n = A, T, G, or C
 - 259 <400> SEQUENCE: 14
- W--> 260 ccannnnntg g 262 <210> SEQ ID NO: 15
 - 263 <211> LENGTH: 15
 - 264 <212> TYPE: DNA
 - 265 <213> ORGANISM: Artificial Sequence
 - 267 <220> FEATURE:
 - 268 <223> OTHER INFORMATION: A synthetic DNA fragment
 - 270 <220> FEATURE:
 - 271 <221> NAME/KEY: misc feature
 - 272 <222> LOCATION: 6-15

11

DATE: 08/04/2004

PATENT APPLICATION: US/10/702,228A TIME: 09:22:16 Input Set : A:\341030US1.txt Output Set: N:\CRF4\08042004\J702228A.raw 273 <223> OTHER INFORMATION: n = A, T, G, or C 275 <400> SEQUENCE: 15 15 W--> 276 gtcccnnnnn nnnnn 278 <210> SEQ ID NO: 16 279 <211> LENGTH: 11 280 <212> TYPE: DNA 281 <213> ORGANISM: Artificial Sequence 283 <220> FEATURE: 284 <223> OTHER INFORMATION: A synthetic DNA fragment 286 <220> FEATURE: 287 <221> NAME/KEY: misc_feature 288 <222> LOCATION: 1-4 289 <223> OTHER INFORMATION: n = A, T, G, or C 291 <400> SEQUENCE: 16 11 W--> 292 nnnngaagag c 294 <210> SEQ ID NO: 17 295 <211> LENGTH: 14 296 <212> TYPE: DNA 297 <213> ORGANISM: Artificial Sequence 299 <220> FEATURE: 300 <223> OTHER INFORMATION: A synthetic DNA fragment 302 <220> FEATURE: 303 <221> NAME/KEY: misc_feature 304 <222> LOCATION: 1-8 305 <223> OTHER INFORMATION: n = A, T, G, or C 307 <400> SEQUENCE: 17 W--> 308 nnnnnnnngc aggt 14 313 <210> SEQ ID NO: 18 314 <211> LENGTH: 14 315 <212> TYPE: DNA 316 <213> ORGANISM: Artificial Sequence 319 <220> FEATURE: 320 <223> OTHER INFORMATION: A synthetic DNA fragment 322 <220> FEATURE: 323 <221> NAME/KEY: misc_feature 324 <222> LOCATION: 1-9 325 <223> OTHER INFORMATION: n = A, T, G, or C 327 <400> SEQUENCE: 18 14 W--> 328 nnnnnnnnn atgc 330 <210> SEQ ID NO: 19 331 <211> LENGTH: 12 332 <212> TYPE: DNA 333 <213> ORGANISM: Artificial Sequence 335 <220> FEATURE: 336 <223> OTHER INFORMATION: A synthetic DNA fragment 338 <220> FEATURE: 339 <221> NAME/KEY: misc_feature

RAW SEQUENCE LISTING

340 <222> LOCATION: 4-9

341 <223> OTHER INFORMATION: n = A, T, G, or C

RAW SEQUENCE LISTING ERROR SUMMARY

PATENT APPLICATION: US/10/702,228A

TIME: 09:22:17

Input Set : A:\341030US1.txt

Output Set: N:\CRF4\08042004\J702228A.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

```
Seq#:1; N Pos. 18
Seq#:2; N Pos. 8,9,10
Seq#:3; N Pos. -1, 2, 3, 4, 5, 6
Seq#:4; N Pos. 1,2,3,4
Seq#:5; N Pos. 6,7,8,9,10,11,12,13
Seq#:6; N Pos. 1,2,3,4,5
Seq#:7; N Pos. 4,5,6,7,8
Seq#:8; N Pos. 6,7,8,9,10,11,12,13,14
Seq#:9; N Pos. 1,2,3,4,5
Seq#:10; N Pos. 6,7,8,9,10
Seq#:11; N Pos. 3,4,5,6,7,8,9
Seq#:12; N Pos. 3,4,5,6,7,8,9
Seq#:13; N Pos. 1,2,3,4,5
Seq#:14; N Pos. 4,5,6,7,8
Seg#:15; N Pos. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
Seq#:16; N Pos. 1-2-3-4-
Seq#:17; N Pos. 1,2,3,4,5,6,7,8
Seq#:18; N Pos. 1,2,3,4,5,6,7,8,9
Seq#:19; N Pos. -4-5-6-7-8-9
Seq#:20; N Pos. 5,6,7,8,9
Seq#:21; N Pos. 1,2,3,4,5
Seq#:22; N Pos. 7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22
Seq#:23; N Pos. 4,5,6,7
Seq#:40; N Pos. 4,5,6,7
Seq#:54; N Pos. 4,5,6,7
Seq#:55; N Pos. 4,5,6,7
Seq#:69; N Pos. 14
Seq#:70; N Pos. 1,2,3
Seq#:71; N Pos. 1,2,3
Seq#:72; N Pos. 1,2,3,8,9,10,11,12
Seq#:73; N Pos. 6,7,8,9,10,11,12,13,14,15,16,17,18
Seq#:74; N Pos. 1,2,3,4,5,6,7,8,9,10,11,12,13
Seq#:75; N Pos. 8,9,10,11,12,13,14,15
Seq#:76; N Pos. 8,9,10,11
Seg#:77; N Pos. 5,6,7,8,9
Seq#:78; N Pos. 8,9,10,11
Seq#:79; N Pos. 3,4,5,6,7,8,9
Seg#:80; N Pos. 5,6,7,8,9
Seq#:81; N Pos. 4,5,6,7,8
Seq#:82; N Pos. 7,8,9,10,11,12,13,14,15,16,17,18
Seq#:83; N Pos. 1
Seg#:84; N Pos. 1
Seq#:86; N Pos. 1,2,3,12
Seq#:87; N Pos. 1,2,3,11
```

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/10/702,228A

TIME: 09:22:17

Input Set : A:\341030US1.txt

Output Set: N:\CRF4\08042004\J702228A.raw

Seq#:88; N Pos. 1,2,3,11

Seq#:89; N Pos. 1

Seq#:91; N Pos. 1,2,3,12
Seq#:92; N Pos. 7,8,9,10

VERIFICATION SUMMARY

DATE: 08/04/2004 PATENT APPLICATION: US/10/702,228A TIME: 09:22:17

Input Set : A:\341030US1.txt

Output Set: N:\CRF4\08042004\J702228A.raw

```
L:38 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
L:55 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
L\colon\!80 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
L:96 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
L:112 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
L:128 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
L:145 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0
L:161 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
L{:}177~\text{M}{:}341~\text{W}{:} (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:0
L:196 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:0
L:212 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 after pos.:0
L:228 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12 after pos.:0
L:244 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13 after pos.:0
L:260 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:0
L:276 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:0
L:292 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:0
L:308 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:0
L:328 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18 after pos.:0
L:344 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:0
L:360 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:20 after pos.:0
L:376 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 after pos.:0
L:392 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:0
L:408 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23 after pos.:0
L:625 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:40 after pos.:0
L:802 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:54 after pos.:0
L:819 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:55 after pos.:0
L:997 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:69 after pos.:0
L:1015 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:70 after pos.:0
L:1032 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:71 after pos.:0
L:1060 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:72 after pos.:0
L:1077 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:73 after pos.:0
L:1093 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:74 after pos.:0
L:1109 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:75 after pos.:0
L:1126 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:76 after pos.:0
L:1142 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:77 after pos.:0
L:1158 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:78 after pos.:0
L:1174 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:79 after pos.:0
L:1192 \ M:341 \ W: (46) "n" or "Xaa" used, for SEQ ID#:80 after pos.:0
L:1208 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:81 after pos.:0
L:1224 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:82 after pos.:0
L:1241 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:83 after pos.:0
L:1258 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:84 after pos.:0
L:1286 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:86 after pos.:0
L:1303 \ M:341 \ W: (46) "n" or "Xaa" used, for SEQ ID#:87 after pos.:0
L:1319 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:88 after pos.:0
L:1335 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:89 after pos.:0
L:1363 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:91 after pos.:0
L:1379 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:92 after pos.:0
```